



MATERIAL SAFETY DATA SHEET

HMIS:

 Health- 1 Flammability- 2 Reactivity- 1 Pers.
 Protection- N

NFPA:

 Health- 1 Flammability- 2 Reactivity- 1 Special Hazard-
 N

WHMIS: B 5

Section 1: Product and Company Identification

Product: Odorlock

Synonyms: Deodorizing Fogger

NILODOR, INC.

 10966 INDUSTRIAL PARKWAY NW
 BOLIVAR, OHIO 44612, USA

Non-Emergency:

US 800-443-4321

International 010-330-874-1017

24 hr Emergency Spill Information:

Chem-Tel, Inc.

 US, Canada: 800-255-3924. International:
 1-813-248-0584

Section 2. Hazards Identification

EMERGENCY OVERVIEW

Appearance/Odor: Liquid under pressurized gas in steel can

Classified as hazardous by the criteria of NOHSC.

WARNING

Flammability : R 12 Extremely flammable. Contains flammable liquids and pressurized gas.

Health Hazards Listed : May be a mild irritant

Ecological Hazards Listed : None known

Potential Health Effects: See section 11 for more information.

Likely Routes of Exposure: Skin, inhalation, eyes

Eye: Direct exposure can irritate

Skin: Prolonged exposure can irritate

Ingestion: Not expected to be a problem

Inhalation: Overexposure may cause irritation

Medical Conditions Aggravated By Exposure:

Allergies to fragrances

Target Organs: None known

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Potential Environmental Effects: (See section 12 for more information.)

None known

Section 3. Composition/Information on Ingredients

| Component | CAS# | % by Weight | WHMIS Controlled |
|-----------------------------|---------------------|-------------|------------------|
| Deodorizing Fragrance Blend | Proprietary Mixture | Not stated | N |
| 152 A Propellant | 68476-86-8 | 60% | Y |

Section 4. First Aid Measures

Eye Contact: Flush eyes with copious amounts of clean water, holding lids open. If irritation persists, consult a physician. **DO NOT WEAR CONTACTS WHILE USING.**

Skin Contact: Wash with soap and water

Inhalation: Remove to fresh air

Ingestion: Give water or milk to drink if conscious

Note to Physicians:

Section 5. Fire Fighting Measures

Suitable Extinguishing Media: Foam, carbon dioxide, dry chemical; water fog to keep cans cool.

Unsuitable Extinguishing Media: None known

Products of Combustion: CO₂ is formed during combustion.

Protection of Firefighters: If possible keep cans below 120°F to prevent bursting.

Section 6. Accidental Release Measures

Personal Precautions: Keep away from skin and eyes. Wear protective gloves. Ventilate the spill area.

Environmental Precautions: Keep out of surface waters

Methods for Containment: Not applicable; unit cans

Methods for Clean-Up: Gather up scattered cans after any breached or activated cans have finished discharging. Absorb discharge on sand, clay or other suitable material.

Other Information: RCRA (40 CFR 261.33)

Section 7. Handling and Storage

HANDLING

Reasonable care. Keep away from skin and eyes

STORAGE

Keep out of the reach of children. Store in original container at temperatures not more than 50°C/120°F

Section 8. Exposure Controls/Personal Protection

EXPOSURE GUIDELINES

| COMPONENT: | TWA: | LD-50 |
|-----------------------------|---------|-------|
| Deodorizing Fragrance Blend | NA | NA |
| 152 A Propellant | 600 ppm | NA |

Engineering Controls: Not normally necessary

Eye/Face Protection: Do not point nozzle in direction of face. Protective goggles if handling large quantities

Skin Protection: Do not point nozzle at skin. Rubber or other protective gloves if handling large quantities

Respiratory Protection: Use in normal ventilated environment

General Hygiene Considerations: Keep out of food and beverages, avoid wearing contacts.

Section 9. Physical and Chemical Properties

| | |
|--|--|
| Color: Clear liquid | Odor: Natural and Mountain Spa (dependent on description) |
| Physical State: Liquid under pressurized gas in steel cans | Odor Treshhold: |
| pH: Not applicable | Freezing Point: Not determined |
| Evaporation Rate: >1 (water =1) | Boiling Point: 100 C / 212 F (of liquid) Cans may burst if exposed to temperatures above 120 F. |
| Flash Point: 121 F | Flammability(solid,gas): Not determined |
| Upper Flammability Limit: Not determined | Lower Flammability Limit: Not determined |

Vapor Pressure: 70 psi at 70°C

Specific Gravity: 0.94

Vapor Density: Not determined

Auto-ignition Temperature: Not determined

Volatile Organic Compound (VOC), %weight:

Solubility (water): Misc.

as packaged minus water <25%

Percent Volatile: >96%

Section 10. Stability and Reactivity

Stability: Stable

Conditions to Avoid: Temperatures above 50°C/120°F. Overexposure to light.

Incompatible Materials: None known

Hazardous Decomposition Products: CO₂

Possibility of Hazardous Reactions: Will not occur

Section 11. Toxicology Information

ACCUTE EFFECTS

Oral LD50: Not determined for mixture.

Dermal LD50: Not determined for mixture.

Inhalation: Not determined for mixture.

Eye Irritation: Direct contact with spray can irritate eyes

Skin Irritation: Prolonged or repeated contact with spray can irritate or dry skin

Sensitization: None known

CHRONIC EFFECTS

Carcinogenicity: None known

Mutagenicity: None known

Reproductive Effects: None known

Developmental Effects: None known

Section 12. Ecological Information

Ecotoxicity: None known

Persistence/Degradability: None known

Bioaccumulation/Accumulation: None known

Mobility in Environment: Not determined

Section 13. Disposal Considerations

Disposal: Do not puncture or incinerate cans. Dispose according to Federal, State, and Local Regulations

Section 14. Transportation Information

US DOT (ground)

Proper Shipping Description: Consumer Commodity - ORM-D

CANADA TDG (ground)

Proper Shipping Description: Consumer Commodity - ORM-D

ICAO (air)

Proper Shipping Description: UN1950, Aerosols, Flammable, Class 2.1, LTD QTY

IMDG (water)

Proper Shipping Description: UN1950, Aerosols, Flammable, Class 2.1, EmS F-D, S-U, LTD QTY

Section 15. Regulatory Information

Global Inventories

TSCA: United States Included

DSL: Canada Included

| | |
|------------------------|-----------|
| ECL: Korea | Not-Known |
| PICCS: Philippines | Not-Known |
| ENCS: Japan | Not-Known |
| AICS: Australia | Included |
| IECS: China | Not-Known |
| EINECS: European Union | Included |

SARA 313 Information : Trace amount of ethylene oxide. Below reportable levels.

California Safe Drinking Water and Toxic Enforcement Act of 1986 :(Proposition 65)

No Proposition 65 substances present

WHMIS: Canadian Workplace Hazardous Material Information System

B 5

| |
|-------------------------------|
| Section 16. Other Information |
|-------------------------------|

Legends:

NFPA, HMIS:

0=Minimal Hazard, 1=Slight Hazard, 2=Moderate Hazard, 3=Severe Hazard, 4=Extreme Hazard

Prepared By: Technical Dept.

While we believe that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the results of tests conducted, the data are not to be taken as warranty or representation for which we assume legal responsibility. The information is offered solely for your consideration, investigation and verification. Any use of these data and information must be determined by the user to be in accordance with federal, state and local laws.