



MATERIAL SAFETY DATA SHEET

HMIS:

Health- 1 Flammability- 4 Reactivity- 0 Pers. Protection- B

WHMIS: B 5

NFPA:

Health- 1 Flammability- 4 Reactivity- 0 Special Hazard- N

Section 1: Product and Company Identification

Product: Nil-O-Smoke

Synonyms: Smoke Eliminator

NILODOR, INC.

10966 INDUSTRIAL PARKWAY NW
BOLIVAR, OHIO 44612, USA

Non-Emergency:

US 800-443-4321

24 hr Emergency Spill Information:

Chem-Tel, Inc.

International 010-330-874-1017

US, Canada: 800-255-3924. International:
1-813-248-0584

Section 2. Hazards Identification

EMERGENCY OVERVIEW

Appearance/Odor: Liquid under pressurized gas in steel can

Classified as hazardous by the criteria of NOHSC.

WARNING

Flammability : R 12 Extremely flammable. Contains flammable liquids and pressurized gas.

Health Hazards Listed : May be a mild irritant

Ecological Hazards Listed : None known

Potential Health Effects: See section 11 for more information.

Likely Routes of Exposure: Skin, inhalation, eyes

Eye: Direct exposure can irritate

Skin: Prolonged exposure can irritate

Ingestion: Not expected to be a problem

Inhalation: Overexposure may cause irritation

Medical Conditions Aggravated By Exposure:

Allergies to fragrances

Target Organs: None known

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Potential Environmental Effects: (See section 12 for more information.)

None known

Section 3. Composition/Information on Ingredients

Component	CAS#	% by Weight	WHMIS Controlled
Deodorizing Fragrance Blend	Proprietary Mixture	Not stated	N
Liquefied Petroleum Gas	68476-86-8	Not Listed	Y

Flash Point: Concentrate	Boiling Point: 56.1C (133 F) (of liquid) Cans may burst if exposed to temperatures above 120 F.
Upper Flammability Limit: Not determined	Flammability(solid,gas): Not determined
Vapor Pressure: NA	Lower Flammability Limit: Not determined
Vapor Density: Not determined	Specific Gravity: 0.78-0.81 g/mL
Volatile Organic Compound (VOC),%weight: 27.5%	Auto-ignition Temperature: Not determined
	Solubility (water): Complete in water
	Percent Volatile: 27.5%

Section 10. Stability and Reactivity

Stability: Stable

Conditions to Avoid: Temperatures above 50°C/120°F. Overexposure to light.

Incompatible Materials: None known

Hazardous Decomposition Products: CO, CO2

Possibility of Hazardous Reactions: Will not occur

Section 11. Toxicology Information

ACCUTE EFFECTS

Oral LD50:	Not determined for mixture.
Dermal LD50:	Not determined for mixture.
Inhalation:	Not determined for mixture.
Eye Irritation:	Direct contact with spray can irritate eyes
Skin Irritation:	Prolonged or repeated contact with spray can irritate or dry skin
Sensitization:	None known

CHRONIC EFFECTS

Carcinogenicity:	None known
Mutagenicity:	None known
Reproductive Effects:	None known
Developmental Effects:	None known

Section 12. Ecological Information

Ecotoxicity:	None known
Persistence/Degradability:	None known
Bioaccumulation/Accumulation:	None known
Mobility in Enviroment:	Not determined

Section 13. Disposal Considerations

Disposal: Do not puncture or incinerate cans. Dispose according to Federal, State, and Local Regulations

Section 14. Transportation Information
--

US DOT (ground)

Proper Shipping Description: Consumer Commodity - ORM-D

CANADA TDG (ground)

Proper Shipping Description: Consumer Commodity - ORM-D

ICAO (air)

Proper Shipping Description: UN1950, Aerosols, Class 2.2, LTD QTY

IMDG (water)

Proper Shipping Description: UN1950, Aerosols, Class 2.2, EMS F-D, S-U, LTD QTY

Section 15. Regulatory Information

Global Inventories

TSCA: United States	Included
DSL: Canada	Included
ECL: Korea	Not-Known
PICCS: Philippines	Not-Known
ENCS: Japan	Not-Known
AICS: Australia	Included
IECS: China	Not-Known
EINECS: European Union	Included

SARA 313 Information : NA

California Safe Drinking Water and Toxic Enforcement Act of 1986 :(Proposition 65)

No Proposition 65 substances present

WHMIS: Canadian Workplace Hazardous Material Information System

B 5

Section 16. Other Information

Legends:

NFPA, HMIS:

0=Minimal Hazard, 1=Slight Hazard, 2=Moderate Hazard, 3=Severe Hazard, 4=Extreme Hazard

Prepared By: Technical Dept.

While we believe that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the results of tests conducted, the data are not to be taken as warranty or representation for which we assume legal responsibility. The information is offered solely for your consideration, investigation and verification. Any use of these data and information must be determined by the user to be in accordance with federal, state and local laws.